Fig.1




Fig.2




Fig.3




Fig.4







Fig.5





5/15



Barit,
\$-1552 1023 1023
2
s de la constant de l
H
\$
T.
ķ.
en!
N,

7	`*					6	6/15	•					
	77	Class 1	Precedence: Ordinary(000)		Transmission of one packet per one transmission.	Order of transmitting	4,7,3,10, 34,37,39,40, 54,57,59,60	Transmission of one packet per one time transmission.	Order of transmitting 14,17,19,20, 44,47,49,50	85	Transmission of one packet per one time transmission.	Order of transmitting	24,27,29,30 98 —
	92~	Class 2	Precedence: Immediacy(010) Priority(001)		Transmission of two packets per one time transmission.	Order of transmitting	33,36,38, 53,56,58	Transmission of two packets per one time transmission.	Order of transmitting 13,16,18, 43,46,48	84	Transmission of two packets per one time transmission.	Order of transmitting	23,20,20
	75	Class 3	Precedence: Urgency(Flash Override,	100) Urgency(Flash,011)	Transmission of three packets per one time transmission.	Order of transmitting 2.5.	32,35, 52,55 — 79	Transmission of three packets per one time transmission.	Order of transmitting 12,15, 42,45	83	Transmission of three packets per one time transmission.	Order of transmitting	78~
	74	Class 4	Precedence: Emergency(100)		Transmission of four packets per one time transmission.	Order of transmitting 1,	31, 51 ~ 78	Transmission of four packets per one time transmission.	Order of transmitting 11, 41	~82	Transmission of four packets per one time transmission.	Order of transmitting 21	98
Fig.8)	Class		mportance	Sender IP address:AAA (Low delay,high			Sender IP address:CCC (High throughput)			Sender IP address:EEE (Ordinary)		
				Degree of importance	Degree of importance (High)	71		Degree of importance (Middle)	72		Degree of importance (Low)	73	






Fig. 9






Fig.11		[Table 7']		
Value for check item	Value of check item exceeds maximum threshold value	Value of check item equal to maximum threshold value	Value of check item is minimum threshold value or more and maximum threshold	Value of check is minimum threshold value or less
Check item	\sim 72	~73	\sim 74	~75
Average use frequency of queuing for transfer packet in node	Transfer packet is abandoned	Transfer packets are abandoned at designated frequency	Transfer packets are abandoned depending on values of check item	Transfer packets are not abandoned
~71	~71a	~71b	~71c	~71d
First option (Above check item + precedence of transfer packet)	All transfer packets are abandoned starting from packet having lower precedence	All transfer packets are abandoned starting from abandoned starting from packet having lower precedence at designated frequency	Transfer packets are abandoned starting with packet having lower precedence, depending on average frequency of queuing as value of check	Not transfer packets are abandoned
92~	~76a	~76b	~76c	
Second option (Average frequency of queuing control section of predetermined transfer packet	All predetermined transfer packets P are abandoned	Predetermined transfer packet P is abandoned by designated frequency	Predetermined transfer packet is abandoned depending on value of check item	No predetermined transfer packet P is abandoned
	~77a	~77b	~77c	\sim 77d
Third option (Contents provided in second option + precedence of predetermined transfer packets P)	All packets P having lower precedence are abandoned	nined transfer abandoned ith packet ver precedence nated	Predetermined transfer packet P is abandoned starting with packet having lower precedence and depending on value	No predetermined transfer packet P is abandoned
~78	~78a	482~		~78d

					Te -				1 1 1	
	Value of check is minimum threshold value or less	~85	Transfer packets are not abandoned	~81d	Not transfer packets are abandoned	p98~	No predetermined transfer packet P is abandoned	p28~	No predetermined transfer packet P is abandoned	p88~
8	Value of check item is minimum threshold value or more and maximum threshold or less	~84	Transfer packets are abandoned depending on values of check item	~81c	Transfer packets are abandoned starting with packet having lower precedence, depending on average frequency of queuing as value of check item.	∞86c	Predetermined transfer packet is abandoned depending on value of check item	~87c	Predetermined transfer packet P is abandoned starting with packet having lower precedence and depending on value of check item.	288~
[Table 8]	Value of check item equal to maximum threshold value	\sim 83	Transfer packets are abandoned at designated frequency	~81b	Transfer packets are abandoned starting from packet having lower precedence at designated frequency	d98∼	Predetermined transfer Predetermined transfe packet Is abandoned by designated frequency depending on value of check item	~87b	Predetermined transfer packet is abandoned starting with packet having lower precedence with designated frequency	988~
	Value of check item exceeds maximum threshold value	\sim 82	Transfer packet is abandoned	~81a	All transfer packets are abandoned starting from abandoned starting from packet having lower precedence at designate frequency	~86a	All predetermined transfer packets P are abandoned	~87a	All packets P having lower precedence are abandoned	~88a
Fig. 12	Value for check item	Check item	Average transmission rate in traffics of transfer packet in node	~81	Fourth option (Above check item + precedence of transfer packet)	98~	Fifth option (Average All predetermined transmission rate in traffics transfer packets P are of predetermined packet in abandoned node)	~87	Sixth option (Fifth option + precedence of predetermined transfer packet P)	88~


11/15




12/15



13/15





KATO 32178-178051 2-14-02 NETWORK MANAGEMENT SYSTEM

